
Apollo





120
Shield



180
Python



320
Sunlight



510
Enlighten



515
Bronze



530
Wreath



545
New Eng Blackbutt



555
Grafton Spot.Gum



570
Western Blackbutt



625
Tallowood



710
Oracle



730
Dolphin

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

Apollo

Apollo from Godfrey Hirst combines the natural beauty of timber with the performance benefits of modern hybrid flooring, creating a stylish and practical foundation for contemporary interiors. Available in a versatile range of timber-inspired designs, it delivers **the warmth and character of timber while offering the durability required for everyday living**.

Featuring an embossed surface texture, matte finish and micro bevel edges, Apollo authentically replicates the look and feel of natural wood grain. The **realistic timber detailing adds depth and visual interest**, making it a versatile choice for a wide range of interior styles, from modern and minimalist to warm and inviting spaces.

Built with advanced Trigon® Core Technology, Apollo delivers impressive durability, stability and impact resistance. Its waterproof hybrid construction provides confidence throughout the home, while the UV-coated surface helps maintain its appearance over time. The Unipush® installation system supports efficient installation, making Apollo a practical choice for both new homes and renovations. Green Building Council of Australia compliant for VOC emission standards and certified under the Environmental Certification Scheme (ECS), Apollo contributes to a more comfortable home environment and is backed by a 15 Year Hybrid Limited Residential Warranty*, offering **a flooring solution that balances style, performance and value**.

Technical Data

Type:	Hybrid Flooring
Total Product Thickness:	5.8mm
Units Per Box:	10 boards
m² per pallet:	131.76
Country of Origin:	China
Surface:	Embossed
Substrate Layer:	Trigon® Core Technology (Limestone Composite)
Profile:	Micro Bevel
Installation Method:	Unipush®

Dimensions:	1220mm x 180mm
Wear Layer:	0.3mm
m² per box:	2.196
Colours:	12
Finish:	Matte
Top Layer:	Decorative Film & Wear Layer
Backing Layer:	1.5mm Acoustic Backing
Coating System:	UV Coating

Performance

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: -0.05%, Curling: 0.00%
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Light Reflectance Values:	Available on Request
Smoke Value:	(EN ISO 9239) 92% minutes
Warranty:	15 Year Hybrid Limited Residential Warranty*

Abrasion Rating:	(EN 660-2) Group T
Light Fastness:	(EN ISO 105-B02) Grade 6
Flammability:	(EN ISO 9239) CRF 10.6kW/m2
Slip Resistance:	(AS 4586) P3

Sustainability

Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.

Apollo

Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits


Realistic Look


Strong & Durable



Micro Bevel Edge


Embossed



Matte Finish



Mid Range



ISO 9001 Quality Management System



ISO 14001 Environment Management System



15 Year Hybrid Limited Residential Warranty*



0.3mm Wear layer



Trigon Core Technology


ECS Level 2



Celebrating Australian Species


Waterproof Surface


Waterproof Core



Codemark Certified for Apollo Hybrid Flooring


Codemark Certified Waterproof

Apollo

All Godfrey Hirst hybrid floors products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Hybrid Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
⍰ Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.
^Subject to proper installation, maintenance and local building code/regulatory approval.