
Zenith 1800





110

Solar Drift



120

Lunar Ash



190

Nebula Walnut



300

Cosmic Sand



325

Aurora Pine



350

Stellar Oak



365

Celestial Driftwood



545

Prime Blackbutt



555

Starry Spotted Gum



560

Galactic Grove



740

Astral Slate



795

Eclipse Shadow

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

Zenith 1800

Zenith 1800 represents **the pinnacle of hybrid flooring design, combining cutting-edge technology with the most natural timber look yet achieved in the range**. With its super matte finish, enhanced design variation and embossed-in-register texture, it delivers exceptional realism that closely mirrors the depth, grain and character of authentic timber.

Engineered with a premium 10mm profile, Zenith 1800 provides **a solid, comfortable feel underfoot while maintaining the practical benefits of hybrid flooring**. Its advanced multilayer construction incorporates M-Core with aerated core technology, delivering improved locking strength, enhanced stability and surprisingly lightweight handling for easier installation.

Designed for both style and performance, Zenith 1800 offers **waterproof protection and a highly durable surface** that stands up to everyday living. The 6 Star acoustic rating enhances comfort underfoot by reducing sound transmission, making it ideal for multi-level homes and contemporary interiors where comfort is key.

Finished with a durable protective coating and supported by a Uniclic® installation system, Zenith 1800 is designed for efficiency, longevity and visual impact. Green Building Council of Australia compliant for VOC emission standards and backed by a 25 Year Hybrid Limited Residential Warranty*, it delivers **a premium flooring solution that balances sophisticated design with advanced everyday performance**.

Technical Data

Type:	Hybrid Flooring
Total Product Thickness:	10mm
Units Per Box:	4 boards
m² per pallet:	84.24
Finish:	Super Matte
Top Layer:	Decorative Film & Wear Layer
Backing Layer:	1.5mm Acoustic Backing
Coating System:	PUR

Dimensions:	1800mm x 225mm
Wear Layer:	0.5mm
m² per box:	1.62
Colours:	12
Surface:	Embossed in Register
Substrate Layer:	Aerated Core - Trigon Acoustic M-Core
Profile:	Micro Bevel
Installation Method:	Uniclic®

Performance

Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Smoke Value:	(EN ISO 9239) 105% minutes
Warranty:	25 Year Hybrid Limited Residential Warranty*

Flammability:	(EN ISO 9239) CRF 10.2W/m2
Slip Resistance:	(AS 4586) P5

Sustainability

Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits

Zenith 1800



Realistic Look



Strong & Durable



Micro Bevel Edge



Embossed in Register



Matte Finish



Uniclic® Watertight Locking System



Mid Range



ISO 9001 Quality Management System



ISO 14001 Environment Management System



25 Year Hybrid Limited Residential Warranty*



0.5mm Wear Layer



Celebrating Australian Species



DiamondShield



Waterproof Surface



Waterproof Core



Waterproof

Zenith 1800

All Godfrey Hirst hybrid floors products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Hybrid Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
⍰ Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.
^Subject to proper installation, maintenance and local building code/regulatory approval.