Aquila Stone





505

Pepper Sand



540

Tuscan Grout



700

Marble Ash




710

Sable Grout



750

Limestone Grout



760

Riverbed



765

Pebble Grey



790

Shale Grey

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

Aquila Stone

Aquila Stone from Godfrey Hirst brings the **enduring appeal of stone into a versatile luxury vinyl plank format**. Featuring sophisticated stone-look colours, the collection draws inspiration from the refined character of traditional stone tiles while offering a practical foundation for contemporary living.

The plank format creates a distinctive, considered look across floors, with an **embossed surface and matte finish adding depth and visual character**. Select colours feature grout-effect edges, enhancing the realism and creating an authentic tiled appearance without the upkeep associated with traditional stone.

Designed for everyday living, Aquila Stone combines a waterproof vinyl construction with a scratch and slip resistant protective coating for lasting confidence. Its design supports dependable everyday performance, while direct stick installation provides a secure, professional-looking finish. With a 25 Year Vinyl Plank Limited Residential Warranty*, **Aquila Stone brings together elevated style, practical performance and enduring appeal**.

Technical Data

Type:	Vinyl Plank Flooring
Total Product Thickness:	4.5mm
Units Per Box:	12
m² per pallet:	120.42
Finish:	Matte
Profile:	Square Edge or Grout Effect Edge. Refer to individual SKU.
Installation Method:	Direct Stick

Dimensions:	609.6mm x 304.8mm
Wear Layer:	0.55mm
m² per box:	2.23
Colours:	8
Surface:	Embossed
Coating System:	Scratch & Slip Resistant

Performance

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: 0.05%, Curling: 0.00%
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Light Reflectance Values:	505 Pepper Sand - 39.38% | 760 Riverbed - 28.07% | 710 Sable Grout - 40.64% | 700 Marble Ash - 41.42% | 765 Pebble Grey - 29.16% | 750 Limed Blackbutt 30.11% | 790 Shale Grey - 25.81% | 540 Tuscan Grout - 38.41%
Slip Resistance:	(AS 4586) P3

Classification:	(EN ISO 10874) Residential 23, Commercial 33
Light Fastness:	(EN ISO 105-B02) 6-7
Smoke Value:	Direct Stick: (EN ISO 9239) 217% minutes | With Underlay: (EN ISO 9239) 144% minutes
Warranty:	25 Year Vinyl Plank Limited Residential Warranty*

Sustainability

Product Transparency:	Best Environmental Practice PVC certified product
Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits

Aquila Stone



Embossed



Matte Finish



0.55mm Wear Layer



ISO 9001 Quality Management System



ISO 14001 Environment Management System



25 Year Vinyl Plank Limited Residential Warranty*



Best Environmental Practice PVC



ECS Level 2+



Waterproof Surface



Waterproof Core



Waterproof

Aquila Stone

All Godfrey Hirst vinyl Plank products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Vinyl Plank Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.