Apollo 1500



105

Thredbo



175

Franklin



515

Pyrenees



525

Alpine Gum



535

Derwent



545

Blackbutt



551

Daintree



556

Spotted Gum



571

Sherbrooke



721

Cumberland



730

Boston



790

Midnight

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

godfreyhirst.com

Apollo 1500

Apollo 1500 by Godfrey Hirst is **a premium hybrid floor that captures the beauty of natural timber while delivering the performance benefits of modern flooring technology**. Available in a versatile palette of timber-inspired designs, it brings warmth, character and timeless style to a wide range of interior settings.

Featuring micro bevel edges, an embossed surface texture and a matte finish, Apollo 1500 authentically replicates the look and feel of natural timber. The **realistic grain detail creates visual depth and character**, making it an ideal foundation for contemporary, coastal and classic interiors alike.

Built with advanced Trigon® Core Technology, Apollo 1500 combines strength, stability and waterproof performance in a durable hybrid construction. The enhanced PUR coating with scratch-resistant technology helps protect against everyday wear, while stain resistance supports easy maintenance and long-lasting appeal. Its Uniclic® installation system allows for efficient installation, making it a practical choice for both renovations and new homes. Green Building Council of Australia compliant for VOC emission standards and backed by a 25 Year Hybrid Limited Residential Warranty*, Apollo 1500 offers **a stylish and dependable flooring solution designed for modern living**.

Technical Data

Type:	Hybrid Flooring
Total Product Thickness:	6.5mm
Units Per Box:	6 boards
m² per pallet:	113.4
Country of Origin:	China
Surface:	Embossed
Substrate Layer:	Trigon® Core Technology (Limestone Composite)
Profile:	Micro Bevel
Installation Method:	Uniclic®

Dimensions:	1500mm x 180mm
Wear Layer:	0.5mm
m² per box:	1.62
Colours:	12
Finish:	Matte
Top Layer:	Decorative Film & Wear Layer
Backing Layer:	1.5mm Acoustic Backing
Coating System:	PUR & Scratch Resistance

Performance

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: -0.00%, Curling: 0.00%
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Light Reflectance Values:	Available on Request
Smoke Value:	(EN ISO 9239) 81% minutes
Warranty:	25 Year Hybrid Limited Residential Warranty*

Abrasion Rating:	(EN 660-2) Group T
Light Fastness:	(EN ISO 105-B02) Grade 6
Flammability:	(EN ISO 9239) CRF 10.9kW/m2
Slip Resistance:	(AS/NZ 4586-2013) P3

Sustainability

Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits

Apollo 1500



Godfrey Hirst Best Seller


Realistic Look


Strong & Durable



Micro Bevel Edge


Embossed



Matte Finish


Uniclic® Watertight Locking System



Mid Range



ISO 9001 Quality Management System



ISO 14001 Environment Management System



25 Year Hybrid Limited Residential Warranty*



0.5mm Wear Layer



Trigon Core Technology



Celebrating Australian Species


Waterproof Surface


Waterproof Core



Codemark Certified for Apollo Hybrid Flooring


Codemark Certified Waterproof

Apollo 1500

All Godfrey Hirst hybrid floors products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Hybrid Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
⍰ Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.
^Subject to proper installation, maintenance and local building code/regulatory approval.