


Olympus Stone





105

Shoreline Terrazzo



510

Mineral Terrazzo




705

Arctic Grey




710

Mystic Grey




720

Stormy Ceppo




725

Iron Ceppo



765

Pewter Stone



790

Granite Stone

Specifications and colourations are subject to manufacturing tolerances. As part of the Godfrey Hirst continuous improvement program, Godfrey Hirst reserves the right to change the specifications of or delete colours of this product without notice. While all care is taken, product images may vary in colour due to possible printing process variations. Images do not seek to duplicate the exact visual appearance, but serve merely as a guide or point of reference.

Olympus Stone

Olympus Stone from Godfrey Hirst brings the **sophisticated look of stone into a practical vinyl plank format**. Featuring versatile stone-inspired colours, the range offers a refined foundation for contemporary interiors, with subtle variations designed to complement a wide range of decorating styles.

The generous format creates a clean, balanced look across the floor, while the **embossed surface and matte finish add depth and character to each design**. A micro bevel edge provides a considered finishing detail, enhancing the overall appearance of the floor.

Designed for everyday living, Olympus Stone combines a durable vinyl construction with a scratch and slip resistant protective coating for lasting confidence. Its design support reliable everyday performance, while direct stick installation provides a secure, professional-looking finish. With a 25 Year Vinyl Plank Limited Residential Warranty*, **Olympus Stone delivers a stylish and practical alternative to traditional stone flooring**.

Technical Data

Type:	Vinyl Plank Flooring
Total Product Thickness:	2.5mm
Units Per Box:	16
m² per pallet:	160.32
Finish:	Matte
Profile:	Micro Bevel
Installation Method:	Direct Stick

Dimensions:	457mm x 457mm
Wear Layer:	0.55mm
m² per box:	3.34
Colours:	8
Surface:	Embossed
Coating System:	Scratch & Slip Resistant

Performance

Dimensional Stability:	(ISO 23999) Length: 0.05%, Width: 0.05%, Curling: 0.00%
Impact Sound Reduction:	Please refer to Godfrey Hirst Acoustic Performance specification sheet
Smoke Value:	Direct Stick: (EN ISO 9239) 53% minutes
Warranty:	25 Year Vinyl Plank Limited Residential Warranty*

Abrasion Rating:	(EN 660-2) Group T
Flammability:	(EN ISO 9239) CRF 10.7kW/m2
Slip Resistance:	(AS 4586) P3

Sustainability

Accreditation:	Manufactured under a quality and environmental system certified and complying with ISO 9001 and ISO 14001 by an accredited certification body.
Indoor Air Quality:	Green Building Council Compliant for VOC emission rate limits



Micro Bevel Edge



Matte Finish



0.55mm Wear Layer



ISO 9001 Quality Management System



ISO 14001 Environment Management System


Embossed

Olympus Stone



25 Year Vinyl Plank Limited Residential Warranty*



ECS Level 2



Waterproof



Waterproof Surface



Waterproof Core

Olympus Stone

All Godfrey Hirst vinyl Plank products must be installed in accordance with relevant Australian Standards and in conjunction with the Godfrey Hirst Vinyl Plank Flooring Installation Instructions.
*This product comes with a residential warranty for new product installed indoors in a residential home, if properly installed and maintained. This warranty is in addition to consumers' rights under the statutory consumer guarantee provisions in the Australian Consumer Law, which may exceed the rights under this warranty. The amount recoverable under the warranty decreases after five years. For full information in respect to the scope and limitations of this warranty, please refer to the to the full terms and conditions available from your retailer, by calling 1300 444 778, or by download from www.godfreyhirst.com.
Terms and conditions apply to all commercial warranties - contact your GH Commercial Account Manager.